

CENTAUR V6.0

CDVI Americas is proud to announce the release of CENTAUR V6.0. This new version now includes the Microsoft SQL 2008 server R2 database engine and is compatible with Windows 10. The LITE edition is now available from our web site for FREE (no dongle required). Several minor improvements and fixes have also been made. All CENTAUR kit orders now ship with version 6.0 of the software.

IMPORTANT : Please note that security dongle keys for CENTAUR V5.2 and earlier are incompatible with V6.0.



Version 6.0 and higher

SOFTWARE EDITIONS

	LITE	STANDARD	PROFESSIONAL	ENTERPRISE	GLOBAL
Sites	1	64	64	64	100
Serial Ports	1	1	1	4	4
Dial Up connection	✓	✓	✓	✓	✓
TCP/IP connection	✓	✓	✓	✓	✓
Cards (per site)	512	2,048	8,196	16,384	16,384
Controllers (per site)	16	32	64	256	256
Doors (per site)	16	128	512	2048	2048
Elevator Control	-	✓	✓	✓	✓
Elevator Cabs (per site)	-	64	128	512	512
Floors per cab	-	64	64	64	64
Floor groups (per site)	-	128	128	128	128
Include built-in Integration	-	✓	✓	✓	✓
Global Communication	-	-	-	-	✓
Global User Groups	-	-	-	-	2048
Global Access Levels	-	-	-	-	256
Global Schedules	-	-	-	-	256
Additional Workstation License	-	-	1	1	1

* FREE from our web site, www.cdvi.ca (Security dongle NOT required)

Centaur Workstation License - Enables all user interface applications on a networked remote workstation

- Hardware key required (Dongle Centaur 6 only)

All editions, except LITE which requires no dongle, accept only Hardlock Dongle version 6. Previous versions of dongles (Centaur vers 3, 4 or 5) are not compatible

-for all editions: CMPP/USB125 supported (enrolling cards modules), SMTP sending emails, SAP integration.

-DVR integration list may not have last updated SDK

IMPORTANT NOTE: Centaur 6.0 requires that revision 200/210/220/230 CT-V900-A controllers be updated to firmware R2-C3-A4 or higher to operate properly.

Revision 100/110 CT-V900-A controllers - not supported

CA470 - 2 door expanders must have at least firmware 2.28 to work with all reader's protocols listed (from #1 to #56)

Requirements

The Centaur Access Control Software Suite is supported on the following main operating Systems 32 or 64 bits , english or french:

- (1) windows 10 - all editions
- (2) windows server 2012
- (3) windows 8 /8.1
- (4) windows 7 - all editions
- (5) windows Server 2008 R2
- (6) windows Vista - all editions
- (7) windows XP Pro SP3
- (8) windows 2003 Server Standard

If workstations Centaur used, don't use Home Editions for Centaur Server (DCOM not supported)

NOTE: CDVI Americas Ltd. strongly recommends that the Centaur Access Control Software be installed on one of the Operating Systems listed above (avoid domain controller). Installing the Software on any other Operating Systems or other Operating System languages may cause difficulties or limit the functionality of the Software.

Installation (PLEASE READ THIS CAREFULLY BEFORE INSTALLING CENTAUR!)

Please make sure that the prerequisites for running Centaur are properly satisfied.

Centaur Setup will install SQL Server 2008 R2 sp3 express for its database. We recommend having internet connection to download updates during the installation if the case.

Known issues:

If update from old Centaur 4 possible the cards' photos are not transferred, because the photos were stored into a separate folder.

Import manually each photo after updating to Centaur 6 (it will be stored into sql) or contact tech support for a conversion.

Версия 6.0 има бъгове, свързани със събитията за access.

Към момента да се инсталира версия 6.0.17

Софтуер, фърмуери, ръководства ... могат да бъдат свалени от следния линк:

[ТУК:](#)